

Transforming Space Into POSSIBILITIES



TECHNICAL CAPABILITIES: Accordion Folding Partitions



Accordion Folding Partitions



Kwik-Wall Accordion Folding Partitions have been providing economical acoustic and non-acoustic room division for more than 70 years! With an abundance of finishes available to meet design tastes and color palette, and engineered for maximum configuration and stacking footprint options, Kwik-Wall Accordion Partitions will provide years of service in the most demanding environments.

Accordion Folding Partitions

Kwik-Wall Accordion Folding Partitions have been providing economical, acoustic and non-acoustic room division for more than 70 years! With an abundance of finishes available to enhance any design taste and color palette, and engineered for maximum configuration and stacking footprint options, Kwik-Wall Accordion Partitions will provide years of service in the most demanding environments.



• VL SERIES • MKX | MKXX SERIES

VL SERIES - VL2, VL6, VL8 – Acoustically rated accordion partitions provide moderate to good sound isolation performance of 35, 38, 40 STC, in an affordable, easy-to-use room divider. Finishes include standard or upgrade vinyl; standard or upgrade fabric, acoustic vertical-ribbed carpet, or even any factory-approved custom material finish that is not one of our standard finishes.



MKX | MKXX SERIES – Non-acoustically rated room site dividers deliver the most economical way to divide space when acoustic separation is not required. Available in nearly unlimited partition finishes to satisfy every application's aesthetic design, Kwik-Wall MKX and MKXX non-acoustic accordion folding partitions are the answer to quick and simple space division.





Accordion Partitions by Kwik-Wall

Technical Data

VL2 · VL6 · VL8 · MKXX · MKX

VL SERIES: VL2, VL6, VL8 — Acoustic Accordion Partitions

SECTION 10 22 33 ACCORDION FOLDING PARTITIONS



Overview

Frame Type

- ☒ Full Pantograph Steel Frame
☐ Half-Pantograph Steel Frame

Operation

- ☒ Manual

Configuration

- ☒ Single
☒ Pairs
☒ Multiple (intersecting)

Suspension

- ☒ Top Supported

STC Options

- ☒ 40 VL8]
☒ 38 VL6
☒ 35 VL2
☐ Non rated MKXX
☐ Non rated MKX

Maximum Height & Width

- ☒ Up to 16'-0" Height
 25'-0" Max. Width

Top & Bottom Sweep Seals

- ☒ Multi-ply, Rubberized Continuous Seal
☐ No sweep seals

Partition Covers

- ☒ No external buttons
☒ No horizontal seams

Finishes

- ☒ Standard Vinyl ☒ Upgrade Fabric
☒ Upgrade Vinyl ☒ Standard Fabric
☒ Standard Carpet
☒ Customer Supplied*

* Material subject to Kwik-Wall approval

Options

- ☒ Locks, 1 or both sides
☒ Radius construction for curved applications
☒ Floating Posts for multiple partitions, X L T
☒ Sliding Jamb Boards for pocket storage

Kwik-Wall Accordion partitions provide the most economical sound rated solution to effective space division. Offered in standard, heavy-duty vinyl, fabric or carpet finishes, and available in **35, 38 & 40 STC** ratings, manual operation, straight or radius curve tracks and with a variety of options, **VL Series** acoustic accordion partitions combine performance and operational simplicity.

VL Accordion Partitions are equipped with an easy grip handle to make moving and latching the partition smooth and nearly effortless. Preventative hardware eliminates partition over-extension, and the built-in air release system allows for a smoother and easier operation. **VL Series** Accordion partitions are designed to provide years of service in the most demanding environments.



Accordion Partition Weights

STC	lbs./sq.ft.	Kg/m2
40 VL8	3.65 lbs./sq. ft.	[17.82 kg/m2]
38 VL6	3.15 lbs./sq. ft.	[15.38 kg/m2]
35 VL2	2.65 lbs./sq. ft.	[12.94 kg/m2]
MKXX	2.65 lbs./sq. ft.	[12.84 kg/m2]
MKX	1.50 lbs./sq. ft.	[7.32 kg/m2]



More Information



Accordion Partitions by Kwik-Wall

Technical Data

VL2 • VL6 • VL8 • **MKXX** • **MKX**

MK SERIES: MKXX, MKX — Non-Acoustic Accordion Partitions

SECTION 10 22 33 ACCORDION FOLDING PARTITIONS



Overview

Frame Type

- ☒ Full Pantograph Steel Frame
- ☒ Half-Pantograph Steel Frame

Operation

- ☒ Manual

Configuration

- ☒ Single
- ☒ Pairs
- ☒ Multiple (intersecting)

Suspension

- ☒ Top Supported

STC Options

- ☐ 40 VL8]
- ☐ 38 VL6
- ☐ 35 VL2
- ☒ Non rated MKXX
- ☒ Non rated MKX

Maximum Height & Width

- ☒ MKXX – 16'-0" x 25'-0"
- ☒ MKX – 16'-0" 12'-0"

Top & Bottom Sweep Seals

- ☐ Multi-ply, Rubberized Continuous Seal
- ☒ No sweep seals

Partition Covers

- ☒ No external buttons
- ☒ No horizontal seams

Finishes

- ☒ Standard Vinyl
- ☒ Upgrade Vinyl
- ☒ Standard Carpet
- ☒ Customer Supplied*
- ☒ Upgrade Fabric
- ☒ Standard Fabric

* Material subject to Kwik-Wall approval

Options

- ☒ Locks, 1 or both sides
- ☒ Radius construction for curved applications
- ☒ Floating Posts for multiple partitions, X L T
- ☒ Sliding Jamb Boards for pocket storage

For those applications that do not require any sound isolation, Kwik-Wall **MK Series Accordion Partitions** are the answer to your non-acoustic space division needs. MK Series Accordion Partitions are equipped with an easy-grip handle to make moving and latching smooth and nearly effortless.

Preventative frame hardware eliminates partition over-extension. Offered in standard, heavy-duty vinyl, fabric or carpet finishes, **MK-Series Accordion Partitions** are designed to provide years of service in the most demanding environments.



Accordion Partition Weights

STC	lbs./sq.ft.	Kg/m2
40 VL8	3.65 lbs./sq. ft.	[17.82 kg/m2]
38 VL6	3.15 lbs./sq. ft.	[15.38 kg/m2]
35 VL2	2.65 lbs./sq. ft.	[12.94 kg/m2]
MKXX	2.65 lbs./sq. ft.	[12.84 kg/m2]
MKX	1.50 lbs./sq. ft.	[7.32 kg/m2]




More Information




TRACK — ACCORDION PARTITIONS

Kwik-Wall Accordion track systems are designed for application versatility, durability and smooth, quiet operation. Curved radius capable and with track switches for multiple stacking arrangements, you can depend on Kwik-Wall accordion track for years of service.




**Standard #4 "I" Beam
Mill Finish Aluminum Track**


For all straight-line configurations, or with optional 3'-6" min. radiused track, for curved configurations.



LH or RH track switches available for dual direction, straight and curved applications.



Recessed track w/ 9" or 12"
integral aluminum ceiling guard



Surface mount track w/ 9" or 12"
integral aluminum ceiling guard

WARRANTY: Our confidence in the engineered load-bearing capacity, durability, operational ease and aesthetics that are built into all of our track systems, allows us to offer the best track & carrier warranty in the industry: **10 years on every manually operated track and carrier system we manufacture!**



More Information